Printing date 10.07.2012 Version number 52 Revision: 08.05.2012

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

• Trade name: elan 0000 farblos

Article number: W714001

Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation

High build glaze Wood coating Coating

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

RÜTGERS Organics GmbH

Oppauer Straße 43 D-68305 Mannheim Tel.: **49-621-76540 US: 1-980-253-8880 Fax: **49-621-7654446

e-mail: SDB.rog@ruetgers-organics.de

• Informing department: see: Heading 16 (Contact)

• Emergency telephone number: see: Manufacturer/Supplier

2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.

 Classification according to Directive 67/548/EEC or Directive 1999/45/EC void

Void

• Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms GHS06
- Signal word Danger
- · Hazard-determining components of labelling:

Naphtha (petroleum), hydrotreated heavy Hochdisperses, amorphes Siliciumdioxid

xylene, mixed isomers, pure

Hazard statements

H331 Toxic if inhaled.

Contains 2-butanone oxime, 2-ethyl-hexanoic acid, cobalt salt. May produce an allergic reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

P321 Specific treatment (see on this label).

Call a POISON CENTER or doctor/physician. P311

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.07.2012 Version number 52 Revision: 08.05.2012

Trade name: elan 0000 farblos

P405 Store locked up.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards

P501

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Description: Mixture consisting of the following components.

Dangerous components:		
CAS: 64742-48-9 EINECS: 265-150-3 Index number: 649-327-00-6	Naphtha (petroleum), hydrotreated heavy Xn R65 R66 ♦ Asp. Tox. 1, H304; ↑ Acute Tox. 4, H332	10-25%
CAS: 64742-82-1	Naphta (Erdöl), hydrodesulfurierte schwere Xn R65 ♦ Asp. Tox. 1, H304	10-25%
	Hochdisperses, amorphes Siliciumdioxid	< 5%
CAS: 1330-20-7 EINECS: 215-535-7 Index number: 601-022-00-9	xylene, mixed isomers, pure Xn R20/21; Xi R38 R10 ♦ Flam. Liq. 3, H226; ♦ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	< 5%
CAS: 136-53-8 EINECS: 205-251-1	zinc bis(2ethylhexanoate) Xi R38; № N R51/53 Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315	< 1%
CAS: 13586-82-8 EINECS: 237-015-9	2-ethyl-hexanoic acid, cobalt salt Xn R22; Xi R38; Xi R43; N R51/53 Aquatic Chronic 2, H411; ↑ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	< 0.5%

• Additional information For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- General information Take affected persons into the open air.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Clean affected area with soap and plenty of water.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- Information for doctor
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

GB

Printing date 10.07.2012 Version number 52 Revision: 08.05.2012

Trade name: elan 0000 farblos

(Contd. of page 2)

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Use breathing protection against the effects of fumes/dust/aerosol.
- Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

7 Handling and storage

- Handling
- Precautions for safe handling Precautions against electrostatic charging.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers:

Keep container tightly closed in a cool and dry place.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store container in a well ventilated position.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

1330-20-7 xylene, mixed isomers, pure (< 5%)

WEL Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm

Sk; BMGV

34590-94-8 (2-methoxymethylethoxy)propanol (< 0.5%)

WEL Long-term value: 308 mg/m³, 50 ppm

• Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 4)

Printing date 10.07.2012 Version number 52 Revision: 08.05.2012

Trade name: elan 0000 farblos

(Contd. of page 3)

- Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Wash hands during breaks and at the end of the work.

• Breathing equipment:

Only during spraying without adequate removal by suction. Filter A/P2.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses recommended during refilling.
- Body protection: Protective work clothing.

9 Physical and chemical properties	s
 Information on basic physical and chem General Information Appearance: 	nical properties
Form: Colour: Odour: Odour threshold:	Fluid Different according to colour Mild Not determined.
• pH-value:	Not applicable
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined > 180℃
• Flash point:	> 61℃ (DIN 51 755)
Inflammability (solid, gaseous)	Not applicable.
• Ignition temperature:	200℃
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
Danger of explosion:	Product is not explosive.
 Critical values for explosion: Lower: Upper: 	0.6 Vol % 6.0 Vol %
• Vapour pressure at 20℃:	0.5 hPa
• Density at 20℃ • Relative density	0.91 g/cm³ (DIN 51 757) Not determined.

Printing date 10.07.2012 Version number 52 Revision: 08.05.2012

Trade name: elan 0000 farblos

		(Contd. of page 4
Vapour density	Not determined.	
• Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
Segregation coefficient (n-octanol/	water): Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic at 20℃:	70 s (DIN 53211/4)	
Solvent content:		
Organic solvents:	25.4 %	
Solids content:	48.0 %	
Other information	No further relevant information availa	ble.

10 Stability and reactivity

- Reactivity
- Chemical stability
- Thermal decomposition / conditions to be avoided:
 No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:

• LD/LC50	• LD/LC50 values that are relevant for classification:		
64742-48-9 Naphtha (petroleum), hydrotreated heavy			
Oral	LD50	>5000 mg/kg (Rattus norvegicus (Ratte))	
Dermal	LD50	>3160 mg/kg (Oryctolagus cuniculus (eur. Kaninchen))	
Inhalative	LC50/4 h	>12 mg/l (Rattus norvegicus (Ratte))	

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritations of the mucous membrane are possible
- Sensitization: Sensitizing effect by skin contact is possible by prolonged exposure.

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

(Contd. on page 6)

Printing date 10.07.2012 Version number 52 Revision: 08.05.2012

Trade name: elan 0000 farblos

Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

• Other adverse effects No further relevant information available.

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- Recommendation

Remove in accordance with the local official recommendations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- /		
• European waste catalogue		
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS	
08 01 00	wastes from MFSU and removal of paint and varnish	
08 01 11*	waste paint and varnish containing organic solvents or other dangerous substances	

 Substance Index Number ADR, ADN, IMDG, IATA 	Void
UN proper shipping nameADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
• ADR, ADN, IMDG, IATA • Class	Void
• Packing group • ADR, IMDG, IATA	Void
• Environmental hazards: • Marine pollutant:	No
Special precautions for user	Not applicable.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
• Transport/Additional information:	Not a dangerous good in accordance with nation and international regulations.
• UN "Model Regulation":	-

15 Regulatory information

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

Printing date 10.07.2012 Version number 52 Revision: 08.05.2012

Trade name: elan 0000 farblos

(Contd. of page 6)

It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.
- H411 Toxic to aquatic life with long lasting effects.
- R10 Flammable.
- R20/21 Harmful by inhalation and in contact with skin.
- R22 Harmful if swallowed.
- R38 Irritating to skin.
- R43 May cause sensitisation by skin contact.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R65 Harmful: may cause lung damage if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.

Department issuing data specification sheet: Product safety department, Mannheim

Contact:

RÜTGERS Organics

Product Safety

Tel. **49 / 621 7654 247

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

• * Data compared to the previous version altered.

- GE