



# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

## Anti Silicone Wash

Revision 2

Revision date 2015-08-04

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Anti Silicone Wash
REACH Registration Number	01-2119488216-32
CAS No.	1330-20-7
EC No.	215-535-7

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [SU10] Formulation [mixing] of preparations and/or re-packaging (excluding alloys); [PC9a] Coatings and paints, thinners, paint removers; [PROC3] Use in closed batch process (synthesis or formulation);
Description	No data is available on this product.

#### 1.3. Details of the supplier of the safety data sheet

Company	Fiddes & Son Ltd
Address	Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX
Web	www.fiddes.co.uk
Telephone	+44 (0)29 2034 0323
Fax	+44 (0)29 2034 3235
Email	info@fiddes.co.uk
Email address of the competent person	info@fiddes.co.uk

#### 1.4. Emergency telephone number


Emergency telephone number	1-352-323-3500
Company	INFOTRAC 24HR

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 67/548/EEC	R10 Symbols: Xi: Irritant.
Main hazards	Flammable.
2.1.2. Classification - EC 1272/2008	Flam. Liq. 3: H226; Acute Tox. 4: H302+H312; Eye Irrit. 2: H319;

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin.

# Anti Silicone Wash

Revision 2

Revision date 2015-08-04

## 2.2. Label elements

Precautionary Statement: Prevention	Eye Irrit. 2: H319 - Causes serious eye irritation.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P233 - Keep container tightly closed.
	P243 - Take precautionary measures against static discharge.
Precautionary Statement: Response	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ .
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Precautionary Statement: Storage	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P331 - Do NOT induce vomiting.
	P363 - Wash contaminated clothing before reuse.
Precautionary Statement: Disposal	P370+P378 - In case of fire: Use dry chemical, foam or CO2 to extinguish.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P501 - Dispose of contents/container to hazardous waste company

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Anti Silicone Wash (Xylene, o-,m-,p-or mixed isomers)		1330-20-7	215-535-7	01-2119488216-32	90 - 100%	R10	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Anti Silicone Wash (Xylene, o-,m-,p-or mixed isomers)		1330-20-7	215-535-7	01-2119488216-32	90 - 100%	Flam. Liq. 3: H226; Acute Tox. 4: H302+H312; Eye Irrit. 2: H319;	

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Harmful by inhalation.
Eye contact	Harmful.
Skin contact	Harmful in contact with skin.
Ingestion	Harmful if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention.
Ingestion	Seek medical attention.

## SECTION 5: Firefighting measures

# Anti Silicone Wash

Revision 2

Revision date 2015-08-04

## 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions. Vapour may travel considerable distance to source of ignition and flash back.

## 5.2. Special hazards arising from the substance or mixture

Flammable liquid. Burning produces irritating, toxic and obnoxious fumes.

## 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Keep public away from danger area. Keep upwind.

### 6.2. Environmental precautions

Avoid release to the environment. Refer to special instructions/Safety data sheets. Do not allow product to enter drains.

### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal.

### 6.4. Reference to other sections

See section 2, 3, 8, 13 for further information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed in a cool place. Store at temperatures between 5 °C and 18 °C.

### 7.3. Specific end use(s)

No data is available on this product.

## SECTION 8: Exposure controls/personal protection


### 8.1. Control parameters

See section 8.2 for further information.

#### 8.1.1. Exposure Limit Values

Anti Silicone Wash (Xylene, o-,m-,p- or mixed isomers)	WEL 8-hr limit ppm: 50	WEL 8-hr limit mg/m3: 220
	WEL 15 min limit ppm: 100	WEL 15 min limit mg/m3: 441
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

### 8.2. Exposure controls



#### 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

# Anti Silicone Wash

Revision 2

Revision date 2015-08-04

## 8.2. Exposure controls

Eye / face protection	Wear eye/face protection.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	Wear suitable respiratory equipment when necessary.
8.2.3. Environmental exposure controls	Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Characteristic
pH	No data available
Melting point	- 39.3
Initial boiling point	139.6
Flash point	26
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper Explosive Limit	0.8
Lower Explosive Limit	6.7
Vapour pressure	No data available
Vapour density	3.7
Relative density	0.861
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Oxidising properties	No data available
Solubility	Insoluble in water

### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	0.861

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

	No data available.
--	--------------------

### 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

### 10.3. Possibility of hazardous reactions

	No data is available on this product.
--	---------------------------------------

### 10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

### 10.5. Incompatible materials

	Oxidising agents.
--	-------------------

# Anti Silicone Wash

Revision 2

Revision date 2015-08-04

## 10.6. Hazardous decomposition products

	Burning produces irritating, toxic and obnoxious fumes.
--	---

## SECTION 11: Toxicological information

### 11.1.4. Toxicological Information

Anti Silicone Wash	Inhalation Rat LC50/4 h: 5000ppm	Dermal Rabbit LD50: >1700mg/kg
--------------------	----------------------------------	--------------------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

Anti Silicone Wash	Daphnia EC50/48h: 2930.000000 mg/l	Fish LC50/96h: 4200.000000 mg/l
--------------------	------------------------------------	---------------------------------

### 12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

### 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

### Partition coefficient

	Anti Silicone Wash No data available
--	--------------------------------------

### 12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

### 12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

### 12.6. Other adverse effects

	No data is available on this product.
--	---------------------------------------

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

	Dispose of as special waste in compliance with local and national regulations.
--	--

## SECTION 14: Transport information

### Hazard pictograms



### 14.1. UN number

	UN1307
--	--------

### 14.2. UN proper shipping name

	XYLENES
--	---------

### 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

### 14.4. Packing group

## Anti Silicone Wash

Revision 2

Revision date 2015-08-04

<b>14.4. Packing group</b>	
Packing group	III
<b>14.5. Environmental hazards</b>	
Environmental hazards	No
Marine pollutant	No
<b>ADR/RID</b>	
Hazard ID	30
Tunnel Category	(D/E)
<b>IMDG</b>	
EmS Code	F-E S-D
<b>IATA</b>	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulations	<p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
-------------	--

**15.2. Chemical safety assessment**

	No data is available on this product.
--	---------------------------------------

**SECTION 16: Other information****Other information**

Revision	<p>This document differs from the previous version in the following areas:.</p> <p>2 - 2.1. Classification of the substance or mixture.</p> <p>2 - 2.1.2. Classification - EC 1272/2008.</p> <p>2 - Hazard pictograms.</p> <p>2 - Signal Word.</p>
Text of risk phrases in Section 3	R10 - Flammable
Text of Hazard Statements in Section 3	<p>Flam. Liq. 3: H226 - Flammable liquid and vapour.</p> <p>Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p>
Maximum content of VOC	0.861.

**General information**

	This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.
--	--