

### SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

### Fiddes Finishing Spirit

Revision Revision date 2015-10-02

SECTION 1: Identification of the substance/mixture	e and of the company/undertaking
--	----------------------------------

#### 1.1. Product identifier

**Product name** Fiddes Finishing Spirit

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Description No data is available on this product.

### 1.3. Details of the supplier of the safety data sheet

Company Fiddes & Son Ltd

Address Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX

Web www.fiddes.co.uk

Telephone +44 (0)29 2034 0323 Fax +44 (0)29 2034 3235

**Email** info@fiddes.co.uk Email address of the info@fiddes.co.uk competent person

### 1.4. Emergency telephone number

1-352-323-3500 Emergency telephone number

Company **INFOTRAC** 

24HR

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

2.1.1. Classification -

1999/45/EC

Symbols: F: Highly flammable.

Main hazards

Highly flammable.

2.1.2. Classification - EC

1272/2008

Flam. Liq. 2: H225; Acute Tox. 4: H302; Eye Irrit. 2: H319; STOT SE 2: H371;

### 2.2. Label elements

# Hazard pictograms







### Signal Word

**Precautionary Statement:** 

Prevention

Danger

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P242 - Use only non-sparking tools.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary Statement:** 

Response

P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ foam/C02 /if you feel unwell. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

Revision 0 Revision date 2015-10-02

2.2. Label elements

	skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P370+P378 - In case of fire: Use foam/C02 to extinguish.
Precautionary Statement:	P403+P235 - Store in a well-ventilated place. Keep cool.
Storage	P405 - Store locked up.
Precautionary Statement:	Dispose of this material and its container to hazardous or special waste collection point.
Disposal	

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
IDA					90 - 100%		
Ethanol	603-002-00-5	64-17-5	200-578-6		1 - 10%	5 F; R11	

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
IDA					90 - 100%	Flam. Liq. 2: H225; Acute Tox. 4: H302+H312+H332; Eye Irrit. 2: H319; STOT SE 2: H371:	
Ethanol	603-002-00-5	64-17-5	200-578-6		1 - 10%	Flam. Liq. 2: H225;	

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.	
Skin contact	Wash with soap and water.	
Ingestion	DO NOT INDUCE VOMITING.	

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Harmful by inhalation.	
Eye contact	Harmful.	
Skin contact	Harmful in contact with skin.	
Ingestion	Harmful if swallowed.	

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention.
Ingestion	Seek medical attention.

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

### 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

### 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.



Revision 0 Revision date 2015-10-02

		Revision date 2015-10-0
SECTION 6: Accidental rel	ease measures	
6.1. Personal precautions, pro	otective equipment and emergency procedures	
	Avoid contact with eyes and skin. Ensure ad	equate ventilation of the working area.
6.2. Environmental precautior	ns	
		pecial instructions/Safety data sheets. Do not allow
6.3 Methods and material for	product to enter drains.	
0.3. Methods and material for		
6.4. Reference to other section	For small quantities:. Clean area thoroughly	with detergent.
6.4. Reference to other section		
	See section 2, 3, 8, 13 for further information	1.
SECTION 7: Handling and	storage	
7.1. Precautions for safe hand	dling	
	Adopt best Manual Handling considerations	when handling, carrying and dispensing.
7.2. Conditions for safe storaç	ge, including any incompatibilities	
		well-ventilated place. Keep container tightly closed in
7.3. Specific end use(s)	a cool place. Store at temperatures between	15 °C and 18 °C.
7.3. Specific end use(s)	N. I. S. W.	
	No data is available on this product.	
SECTION 8: Exposure con	trols/personal protection	
8.1. Control parameters		
	_	
	See section 8.2 for further information.	
8.1.1. Exposure Limit Values		
Ethanol	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total -
	WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total  -
	WEL 8-hr limit mg/m3 total - respirable dust:	
8.2. Exposure controls	•	WEL 15 min limit mg/m3 total -
8.2. Exposure controls	•	WEL 15 min limit mg/m3 total -
8.2.1. Appropriate	•	WEL 15 min limit mg/m3 total - respirable dust:
8.2.1. Appropriate engineering controls	respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
8.2.1. Appropriate engineering controls Eye / face protection Skin protection -	Ensure adequate ventilation of the working a	WEL 15 min limit mg/m3 total - respirable dust:
8.2.1. Appropriate engineering controls Eye / face protection Skin protection - Handprotection	Ensure adequate ventilation of the working a Wear eye/face protection.	WEL 15 min limit mg/m3 total - respirable dust:
8.2.1. Appropriate engineering controls Eye / face protection Skin protection - Handprotection - Other	Ensure adequate ventilation of the working a Wear eye/face protection. Chemical resistant gloves (PVC).	WEL 15 min limit mg/m3 total - respirable dust:
8.2.1. Appropriate engineering controls Eye / face protection Skin protection - Handprotection Skin protection - Other Respiratory protection 8.2.3. Environmental	Ensure adequate ventilation of the working a Wear eye/face protection. Chemical resistant gloves (PVC). Wear suitable protective clothing.	WEL 15 min limit mg/m3 total - respirable dust:

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



Revision 0
Revision date 2015-10-02

### 9.1. Information on basic physical and chemical properties

Liquid **Appearance** Colour Amber Odour Alcoholic pН Not applicable. - 114 °C Melting point Initial boiling point 78 °C Flash point **Evaporation rate** 3.4 g/min Flammability (solid, gas) No data available Vapour density 1.03 g/cm<sup>3</sup> Relative density 0.79 (H2O = 1 @ 20 °C) Partition coefficient No data available Autoignition temperature 363 °C Viscosity No data available **Explosive properties** No data available

### 9.2. Other information

Conductivity
Surface tension
VOC (Volatile organic compounds)
No data available
780 g/l

### SECTION 10: Stability and reactivity

Oxidising properties

Solubility

### 10.1. Reactivity

No data available.

No data available

Miscible in water

### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No data is available on this product.

### 10.4. Conditions to avoid

Heat, sparks and open flames.

### 10.5. Incompatible materials

Oxidising agents.

### 10.6. Hazardous decomposition products

Burning produces irritating, toxic and obnoxious fumes.

### **SECTION 11: Toxicological information**

### 11.1.4. Toxicological Information

No data available

### SECTION 12: Ecological information

### 12.1. Toxicity

No data available

### 12.2. Persistence and degradability

No data is available on this product.

#### 12.3. Bioaccumulative potential



Revision 0

	Revision date 2015-10-02
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	
	Fiddes Finishing Spirit No data available IDA No data available
12.4. Mobility in soil	
12.4. WODINLY III SON	No data is available on this product
12.5. Results of PBT and vPvB	No data is available on this product.
12.0. I toodito of F D F dild VI VD	No data is available on this product.
12.6. Other adverse effects	ino data is available on this product.
12101 04101 4410100 011000	No data is available on this product.
0=0=1011 (0 D)	
SECTION 13: Disposal cons	
13.1. Waste treatment methods	
	Dispose of as special waste in compliance with local and national regulations.
Disposal of packaging	
	After final product withdrawl, all residues must be removed from containers (drip-free, powder-free or paste-free). Empty containers can be sent for disposal or recycling.
SECTION 14: Transport info	rmation
Hazard pictograms	
14.1. UN number	
	UN1263
14.2. UN proper shipping name	
	PAINT RELATED MATERIAL
14.3. Transport hazard class(es	s)
ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	<u>-</u>
14.4. Packing group	
Packing group	
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
ADR/RID	
Hazard ID	33
Tunnel Category IMDG	(D/E)
EmS Code IATA	F-E S-E
ICIC	



Revision 0
Revision date 2015-10-02

IATA	
Packing Instruction (Cargo)	364
Maximum quantity	60 L
Packing Instruction	353
(Passenger)	
Maximum quantity	5 L

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

### 15.2. Chemical safety assessment

No data is available on this product.

### **SECTION 16: Other information**

#### Other information

Text of risk phrases in Section 3	R11 - Highly flammable.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 2: H371 - May cause damage to organs .
Maximum content of VOC	780 g/l.
General information	

This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.

