## **ISF SAFETY DATA SHEET 12**



ISF Group Ltd
Thurmaston Boulevard Lelcester
LE4 9HS United Kingdom
Tel: 0116 274 2222 Fax: 0116 274 3333
Www.isf.co.uk

					RELEASED	ISSUE No.	
IDENTIFICATION	CA2-3-CL035-005	AC2-Lo (low od	our) Clear 35% Shee	en	07/11/2009	MM09	
COMPOSITION/I	NFORMATION C	N INGREDI	FNT (*) Denote	s - See OTHER IN	FORMATION V	OC 0.400	
INGREDIENT		CONC %	TWA (8hr) PPM	TWA (15mins) P		; <u>—::::</u>	
XYLENE		20-25	100	150 SK	10 Xn 20/21 Xi38		
ETHANOL		5-10	1000	*	11.	<b>"</b>	
ISOPROPANOL		2-5	400	500	11		
1-METHOXY -2 PROPA	NOL	2-6	100	300 SK	10.		
BUTYL ACETATE		25-30	. 150	200	10	:	
ISO-BUTANOL		2-5	*	50	10 Xn 20	:	
FORMALDEHYDE		<b>&lt;1</b>	2	. 2	T 23/24/25	:	
HAZARD IDENTIFICATION	HIGHLY FLAMMABLE. EXPLOSIVE VAPOUR IRRITATING TO SKIN EYES AND RESPIRATORY SYSTEM.						
FIRST AID MEA	SURES						
	WASH WITH WATER						
EYES:	**************************************	•					
SKIN:	WASH SKIN WITH SOAP & WATER. LAUNDER SOAKED CLOTHING BEFORE RE-USE.						
INHALATION;	REMOVE TO FRESH AIR. GET MEDICAL AID IF UNCONSCIOUS TURN TO RECOVERY POSITION.						
INGESTION;	DO NOT INDUCE VOMITING, GET MEDICAL AID. IF PATIENT VOMITS TURN TO RECOVERY POSITION.						
FIRE FIGHTING	MEASURES		•	The same of the sa		a service serv	
	USE CARBON DIOXIDE, DRY CHEMICAL, SAND OR EARTH. USE WATER FOG TO COOL SURFACES.						
ACCIDENTAL R	ELEASE MEASU	RES					
	ELIMINATE SOURCES OF IGNITION. AVOID INHALING VAPOUR, EVACUATE PERSONNEL, ABSORB LIQUID WITH NON COMBUSTIBLE MATERIAL, IF PRODUCT HAS ENTERED DRAINS INFORM FIRE BRIGADE.						
HANDLING AND	STORAGE						
USAGE PRECAUTIONS:	USE IN A FLAME PROOF AREA. FURTHER INSTRUCTIONS ON CONTAINER OR DATA SHEET.						
STORAGE PRECAUTIONS:	KEEP CONTAINER CLOSED. STORE IN A COOL DRY WELL VENTILATED AREA AWAY FROM SOURCES OF IGNITION, NO SMOKING.						
PHYSICAL AND	CHEMICAL PRO	PERTIES	]	_		MARINE THAT CHICAGO PROPERTY AND	
APPEARANCE:	LOW VISCOSITY CLE	AR LIQUID.					
FLASHPOINT (C):	10	w. mai.	BOILING POINT (C	) 82			
EVAPORATION RATE:	STATES OF THE STATE OF THE STAT		EXPLOSIVE LIMIT		and promptoperage pr		
SPECIFIC GRAVITY	0.92		SOLUBILITY @ 20	CELCIU	adden		

RESPIRATORY:	AVOID INHALING VAPOUR,	USE WITH CONTROLLED EXTRACT	ION AND/OR APPROVED FACE MASK.				
	The second of th						
SKIN:	USE IMPERVIOUS GLOVES	USE IMPERVIOUS GLOVES AND OVERALLS.					
EYES:	IF THERE IS RISK TO EYES USE APPROVED SAFETY GLASES OR GOGGLES.						
STABILITY AN	D REACTIVITY	en de de la companie	The state of the s				
	STABLE UNDER NORMAL S	TORAGE CONDITIONS	e e e e e e e e e e e e e e e e e e e				
TOXICOLOGIC	CAL INFORMATION	e de la companya de l					
SKIN TOXICITY:	IRRITATING TO SKIN. MAY	IRRITATING TO SKIN. MAY BE ABSORBED. CHRONIC SKIN CONTACT MAY CAUSE DERMATITIS.					
EYE TOXICITY:		IRRITATING TO EYES, WITH POSSIBLE CORNEAL DAMAGE.					
INHALED TOXICITY:	MAY CAUSE DROWSINESS	MAY CAUSE DROWSINESS, NAUSEA, DIZZINESS.					
INGESTED TOXICITY:	MAY CAUSE VOMITING, IRRITATION OF DIGESTIVE TRACT.						
ECOLOGICAL	INFORMATION						
		ATE, LOW TOXICITY TO FISH.					
DICTOCAL CO	NSIDERATIONS		The second secon				
DISPUSAL CO	INSIDERATIONS		THE STATE OF THE S				
	LAND FILL IN ACCORDANG	E WITH LOCAL REGULATIONS USIN	NG AUTHORISED PERSONNEL.				
	· · · · · · · · · · · · · · · · · · ·		. A company of the contract of				
	NFORMATION						
UN NUMBER:	1263	PROPER SHIPPING NAME:	PAINT				
IMDG CLASS:	3.2	MARINE POLLUTANT:	NO				
PACKING GROUP	11	ADR/RID:	33				
REGULATORY	INFORMATION		Commence of the commence of th				
LABEL SYMBOLS	MIX 9	<b>.</b>					
RISK PHRASES:	R.11. R. 20/21.						
SAFETY PHRASES:							
OTHER INFOR	MATION Every effort has be possible. However	en made to keep the information conta the company cannot be held responsib	ined on this document as accurate as de for any errors contained within				
		mation is based on our present state ng specific properties of the product	e of knowledge. It should not therefore s described or their suitability for a				

**ISF SAFETY DATA SHEET 12**