

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.07.2012

Version number 30

Revision: 14.01.2008

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** profilan-top 0000 farblos
- **Article number:** W711201
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation**
High build glaze
Wood coating
Coating
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
RÜTGERS Organics GmbH
Oppauer Straße 43
D-68305 Mannheim
Tel.: **49-621-76540
US: 1-980-253-8880
Fax : **49-621-7654446
e-mail: SDB.rog@rueggers-organics.de
- **Informing department:** see: Heading 16 (Contact)
- **Emergency telephone number:** see: Manufacturer/Supplier

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified according to the CLP regulation.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Void
- **Information concerning particular hazards for human and environment:**
The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.
- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements**
Safety data sheet available on request.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture consisting of the following components.

- **Dangerous components:**

CAS: 111-76-2

EINECS: 203-905-0

Index number: 603-014-00-0

2-butoxyethanol

☒ Xn R20/21/22; ☒ Xi R36/38

⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319

< 2%

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31





Printing date 10.07.2012

Version number 30

Revision: 14.01.2008

Trade name: profilan-top 0000 farblos

(Contd. of page 1)

	Nonylphenoethoxylatphosphat  C R34;  N R51/53  Skin Corr. 1B, H314;  Aquatic Chronic 2, H411	< 1%
--	--	------

• **Additional information** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** In case of persistent symptoms consult doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Dilute with much water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
No dangerous materials are released.
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

7 Handling and storage

- **Handling**
- **Precautions for safe handling**
No special measures required.
Precautions against electrostatic charging.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
Keep container tightly closed in a cool and dry place.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.07.2012

Version number 30

Revision: 14.01.2008

Trade name: profilan-top 0000 farblos

(Contd. of page 2)

- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

111-76-2 2-butoxyethanol (< 2%)

WEL	Short-term value: 50 ppm
	Long-term value: 25 ppm
	Sk

1310-73-2 sodium hydroxide (< 0.01%)

WEL	Short-term value: 2 mg/m ³
-----	---------------------------------------

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

The usual precautionary measures should be adhered to general rules for handling chemicals.

- **Breathing equipment:** Only during spraying without adequate removal by suction.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Not applicable

- **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not applicable

- **Eye protection:** Safety glasses recommended during refilling.

- **Body protection:** Protective work clothing.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:

Fluid

Colour:

According to product specification

- **Odour:**

Characteristic

- **Odour threshold:**

Not determined.

- **pH-value at 20°C:**

8.4

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.07.2012

Version number 30

Revision: 14.01.2008

Trade name: **profilan-top 0000 farblos**

(Contd. of page 3)

• Change in condition Melting point/Melting range:	Not determined
Boiling point/Boiling range:	100°C
• Flash point:	> 100°C
• Inflammability (solid, gaseous)	Not applicable.
• Ignition temperature:	
Decomposition temperature:	Not determined.
• Self-inflammability:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive.
• Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
• Vapour pressure at 20°C:	23 hPa
• Density at 20°C	1.11 g/cm ³
• Relative density	Not determined.
• Vapour density	Not determined.
• Evaporation rate	Not determined.
• Solubility in / Miscibility with Water:	Fully miscible
• Segregation coefficient (n-octanol/water):	Not determined.
• Viscosity:	
dynamic:	Not determined.
kinematic at 20°C:	51 s (ISO 4 mm)
• Solvent content:	
Organic solvents:	2.9 %
Water:	56.3 %
Solids content:	40.0 %
• Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritant effect.
- **Sensitization:** No sensitizing effect known.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.07.2012

Version number 30

Revision: 14.01.2008

Trade name: profilan-top 0000 farblos

(Contd. of page 4)

• Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

• Toxicity
• Aquatic toxicity: No further relevant information available.

• Persistence and degradability No further relevant information available.

• Behaviour in environmental systems:
• Bioaccumulative potential No further relevant information available.

• Mobility in soil No further relevant information available.

• Additional ecological information:
• General notes:

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

• Results of PBT and vPvB assessment
• PBT: Not applicable.

• vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods
• Recommendation

Remove in accordance with the local official recommendations.

Smaller quantities can be disposed with household waste.

• European waste catalogue

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 00	wastes from MFSU and removal of paint and varnish
08 01 12	waste paint and varnish other than those mentioned in 08 01 11

• Uncleaned packagings:
• Recommended cleaning agent: Water, if necessary with cleaning agent.

14 Transport information

• Substance Index Number
• ADR, ADN, IMDG, IATA Void

• UN proper shipping name
• ADR, ADN, IMDG, IATA Void

• Transport hazard class(es)
• ADR, ADN, IMDG, IATA
• Class Void

• Packing group
• ADR, IMDG, IATA Void

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.07.2012

Version number 30

Revision: 14.01.2008

Trade name: profilan-top 0000 farblos

(Contd. of page 5)

• Environmental hazards:	
• Marine pollutant:	No
• Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information:	Not a dangerous good in accordance with national and international regulations.
• UN "Model Regulation":	-

15 Regulatory information

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the responsibility of the user to assure himself that the information provided with this material safety data sheet is complete and applicable for his utilization of the product.

- **Relevant phrases**

H302 Harmful if swallowed.
 H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.
 H411 Toxic to aquatic life with long lasting effects.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R34 Causes burns.

R36/38 Irritating to eyes and skin.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- **Department issuing data specification sheet:** Product safety department, Mannheim

- **Contact:**

RÜTGERS Organics
 Product Safety
 Tel. **49 / 621 7654 247

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

- *** Data compared to the previous version altered.**